








CBD Hydraulic Model									
200 Y ARI									
Figure D-7.3									
LEGEND									
Flow Velocity (m/s)									
<0.25									
0.25 - 0.5									
0.5 - 0.75									
0.75 - 1									
1 - 1.25									
1.25 - 1.5									
1.5 - 1.75									
1.75 - 2									
2 - 3									
3 - 6									
N									
City of Townsville									
SCALE: 1:15,000 @A3									
200 100 0 200 400 Metres									
DISCLAIMER The information shown on this map has been produced from the Townsville City Council's digital database. There is no warranty implied or expressed regarding the accuracy or completeness of the data. The data has been compiled for information and convenience only, and it is the responsibility of the user to verify all information before placing reliance on it. For accurate service locations please contact the Customer Services Centre on 1300 878 001. This is not a legal document and is published for information and convenience only. The Townsville City Council takes no responsibility for any errors or omissions herein or for any acts that may occur due to its use.									
Produced by: STRATEGIC PLANNING Planning and Development DATE: dd/mm/yyyy DATE PRINTED: 30/05/2016 DRAWN BY: ZZA									





















CBD Hydraulic Model

PMF

Figure D-9.3

LEGEND

Flow Velocity (m/s)






SCALE: 1:15,000 @A3 200 100 0 200


400 Metres

DISCLAIMER The information shown on this map has been produced from the Townsville City Council's digital database. There is no warranty implied or expressed regarding the accuracy or completeness of the data. The data has been complied for information and convenience only, and it is the responsibility of the user to verify all information before placing reliance on it. For accurate service locations please contact the Customer Services Centre on 1300 878 001. This is not a legal document and is published for information and convenience only. The Townsville City Council takes no responsibility for any errors or omissions herein or for any acts that may occur due to its use.

Produced by: STRATEGIC PLANNING Planning and Development DATE: dd/mm/yyyy DATE PRINTED: 30/05/2016 DRAWN BY: ZZA DIGITAL FILE: FloodMaps_FigureD-9-3.mxd © Townsville City Council 2016



Appendix E – Hydraulic Gradelines



Appendix F – Peak Surface Flow Results

	Storm Durations (Hours)							
Design Flow (Year ARI)		Woolcock Canal	U/S of V8-Race Bridge	in between Railway Bridge and Abandoned Bridge- 2	in between two abandoned bridges	in between Lowths and Victoria Bridges	D/S of Denham Bridge	Open Drain (on the left hand side of Railway Bridge)
2	1	8.9	8.3	11.1	12.3	15.3	19.8	1.2
	12	34.7	36.4	37.5	38.1	39.9	42.2	1.0
	18	40.6	42.4	43.3	43.5	45.3	49.9	0.8
5	1	14.0	14.6	18.7	21.5	27.4	34.7	2.1
	12	50.8	53.4	55.4	56.4	59.4	63.4	1.6
	18	54.1	56.9	58.3	59.2	62.5	67.8	1.2
10	1	17.5	18.4	21.8	25.1	32.0	40.9	2.5
	12	61.3	64.2	66.7	68.0	71.0	75.4	1.9
	18	62.2	65.7	67.6	68.6	73.5	80.0	1.4
20	1	24.7	25.5	28.5	32.7	41.3	55.8	3.1
	12	74.1	77.7	80.4	81.7	85.4	91.4	2.3
	18	72.2	76.5	78.5	80.4	86.3	95.3	1.7
50	1	34.2	34.9	36.1	41.0	51.8	73.3	3.7
	12	92.0	96.2	99.3	101.1	105.8	111.2	2.5
	18	88.8	94.0	96.6	98.4	104.1	113.9	1.9
100	1	45.3	45.8	47.1	48.4	61.0	82.6	4.2
	1.5	56.6	58.8	60.2	60.4	73.7	98.7	3.8
	2	66.9	69.6	71.1	71.3	73.5	87.2	3.8
	3	82.5	86.2	87.6	88.0	90.8	92.5	3.3
	6	106.6	111.3	113.4	114.4	118.3	122.5	2.8
	12	109.2	114.9	117.6	119.2	122.9	131.8	3.5
	18	103.5	109.5	112.3	113.9	118.7	128.5	2.2
	24	106.7	111.0	113.2	114.3	118.3	122.4	2.5
	72	105.6	111.5	114.2	115.7	119.8	129.1	1.7

	Storm Durations (Hours)	Flow Sections in Ross Creek						
Design Flow (Year ARI)		Woolcock Canal	U/S of V8-Race Bridge	in between Railway Bridge and Abandoned Bridge- 2	in between two abandoned bridges	in between Lowths and Victoria Bridges	D/S of Denham Bridge	Open Drain (on the left hand side of Railway Bridge)
200	1	53.2	54.7	56.1	59.4	78.2	110.2	4.7
	12	119.4	131.2	134.5	136.6	141.9	153.0	3.4
	18	115.1	127.4	129.8	131.3	135.7	150.1	2.9
500	1	63.4	65.6	67.0	70.0	90.6	231.5	5.3
	12	124.1	157.0	161.0	163.8	169.9	181.9	3.3
	18	118.6	147.5	150.7	153.4	159.2	173.7	2.8
PMF	2	117.7	250.2	265.0	326.5	345.4	392.9	9.8
	24	121.8	232.2	255.5	417.2	494.5	643.4	13.6
	72	124.3	225.8	242.3	286.5	301.0	322.4	2.5