






CONCRETE EDGE




CONCRETE_EDGE_TYPE_1_DETAIL




COMPOSITE PLASTIC_EDGE_PLAN_VIEW



COMPOSITE PLASTIC_EDGE_DETAIL



CONCRETE_EDGE_TYPE_2_DETAIL



SPA_EDGE_DETAIL



PLASTIC EDGE

NOTES

- GENERAL**
- All dimensions are in millimetres, unless otherwise noted.
 - Do not scale these drawings. Use figured dimensions.
 - The Contractor shall check, verify on site and be responsible for the accuracy of all dimensions and dimensions shall be reported immediately to the Project Manager before any work commences.
 - These drawings shall be read in conjunction with all other drawings and specifications and with such other written instructions as may be issued during the course of construction. All discrepancies shall be reported immediately for decision before proceeding with the project.
 - Any potential interference with existing trees is to be identified by the contractor prior to commencement of construction and Council's Arborist prior to commencement of construction.
 - All workmanship and materials shall be in accordance with the requirements of the Landscape Policy and Construction Standards, Standards Australia Codes and the by-laws and ordinances of the relevant authorities.
 - During construction any structure and neighbouring structures shall be protected from damage by ensuring that no materials or equipment are placed within the construction limits prior to commencement of construction. Services to be noted on As Constructed drawings.
 - The Contractor shall rectify any damage to existing hard and soft infrastructure and/or services, caused through carrying out the works, at the Contractor's expense.
 - It is the contractor's responsibility to ensure that the project is carried out in accordance with the drawings and specifications.

CITY PLAN REFERENCES

- Part 9.3.3 Landscape Code
- SC6.4.12.1 Policy Intent
- SC6.4.2.3 Construction Management
- SC6.4.2.3.1 Construction (Protection of Trees and Vegetation)
- SC6.4.10.3 Construction Standards
- SC6.4.12.6 Landscaping Construction Standards
- SC6.4.6.26(4) Earthworks (Landscaping)
- SC6.4.6.17 Control of Traffic

CONCRETE EDGE

- JOINTS:**
- Provide contraction joint (CJ) every 3.0m typically
 - Provide expansion joint (EJ) every 6.0m typically
 - Provide key joint (KJ) every 12.0m typically

Preformed rubber edge shall not be approved as an alternative to concrete edge.

COMPOSITE PLASTIC EDGE

- Construct 40x90mm recycled composite plastic edging to areas shown on the drawings and as detailed.
- Blairs: Blairs to be joined with 20x90x600mm recycled plastic cleat. Pre-drill screw holes. Holes to be oval to allow lateral movement. Ensure 10mm gap between ends in cool of the day.
- Set edging flush with adjoining surfaces to define turf and planting or mulch areas. Ensure edging is laid over a compacted subgrade and make good any level variations that occur throughout the Maintenance Period.

EDGING	
EDGE	APPLICATION
Concrete Edge 1	Rubber Softfall, Planting Bed
Concrete Edge 2	Sand Softfall, Sand Pit, Fencing
Composite Plastic Edge	Planting Bed, Decomposed Granite Path, Mulched Areas
Spade Edge	Parks, Revegetation Areas

<p>REVISIONS</p> <table border="1"> <thead> <tr> <th>No.</th> <th>DATE</th> <th>DESCRIPTION</th> <th>APP'D</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>23/10/2020</td> <td>SUBSTITUTION FOR CONDUCTIVE GROUND PENETRATIONS</td> <td></td> </tr> <tr> <td>B</td> <td>19/06/2021</td> <td>CONCRETE EDGE JOINTS AMENDED</td> <td></td> </tr> <tr> <td>C</td> <td>12/08/2023</td> <td>CONCRETE EDGE JOINTS AMENDED</td> <td></td> </tr> <tr> <td>D</td> <td>17/07/2023</td> <td>ROOT BARRIER REMOVED</td> <td></td> </tr> <tr> <td>E</td> <td>17/07/2023</td> <td>CITY PLAN REFERENCE UPDATE</td> <td></td> </tr> <tr> <td>F</td> <td>14/08/2025</td> <td>CONCRETE FIBRE AMENDMENT</td> <td></td> </tr> </tbody> </table>		No.	DATE	DESCRIPTION	APP'D	A	23/10/2020	SUBSTITUTION FOR CONDUCTIVE GROUND PENETRATIONS		B	19/06/2021	CONCRETE EDGE JOINTS AMENDED		C	12/08/2023	CONCRETE EDGE JOINTS AMENDED		D	17/07/2023	ROOT BARRIER REMOVED		E	17/07/2023	CITY PLAN REFERENCE UPDATE		F	14/08/2025	CONCRETE FIBRE AMENDMENT		<p>DATE: 14/08/2025</p> <p>DESIGN OFFICE: CONCRETE</p> <p>CHECKED: CONCRETE</p> <p>DRAWN: CONCRETE</p> <p>Principal Lead Open Space Approved: CONCRETE</p> <p>Date: Aug 14, 2025</p> <p>Team Manager: CONCRETE</p> <p>Date: Aug 14, 2025</p>	<p>Full Size A1</p> <p>Not to scale</p>	<p>STANDARD DRAWING</p> <p>OPEN SPACE</p> <p>SD-641</p> <p>F</p>
No.	DATE	DESCRIPTION	APP'D																													
A	23/10/2020	SUBSTITUTION FOR CONDUCTIVE GROUND PENETRATIONS																														
B	19/06/2021	CONCRETE EDGE JOINTS AMENDED																														
C	12/08/2023	CONCRETE EDGE JOINTS AMENDED																														
D	17/07/2023	ROOT BARRIER REMOVED																														
E	17/07/2023	CITY PLAN REFERENCE UPDATE																														
F	14/08/2025	CONCRETE FIBRE AMENDMENT																														